

A bibliography of research into satellite remote sensing of land, sea and atmosphere conducted in Western Australia

RCG Smith¹ & AF Pearce²

¹Remote Sensing Services, Department of Land Administration: *richard_smith@notes.dola.wa.gov.au*
and ²CSIRO Division of Marine Research: *alan.pearce@marine.csiro.au*
Leeuwin Centre for Earth Sensing Technologies, 65 Brockway Road, Floreat WA 6014

Manuscript received February 1997

Background to the bibliography

This bibliography on satellite and related remote sensing research in Western Australia covers both geological mapping for exploration and the monitoring of land, water, oceans and atmosphere. Publications related to exploration commissioned by the private sector and not publicly available have not been cited. The number of publications over time (Figure 1) reveals progressive development with alternate year peaks in recent years associated with the biennial Australasian Remote Sensing Conference.

The development of satellite remote sensing in Western Australia has been driven by the need of a small population to explore and manage efficiently a large and complex land surface. Western Australia's population of 1.7 million occupies a vast land area of 253 million hectares, with over 12,000 km of coastline and 40 million ha of continental shelf which covers part of Australia's exclusive

economic zone. The economy is dependent on mining and other primary industries, while environmental quality requires preservation of vegetative cover for maintaining bio-diversity and avoidance of desertification. Most of the land (93%) is under the ownership of the State. This State-owned land is allocated to conservation and timber extraction (17%), arid deserts, road reserves and foreshores (36%), pastoral grazing (37%), mining 3%, *etc.* Freehold land is only 7% and is used for agriculture (6%) and urban settlement (1%).

Unfortunately, 167 years of European settlement has caused much of the land, rivers and coastal waters to suffer degradation from bush fires, salinisation, erosion, disease, acidification, feral animals, eutrophication, siltation, pollution and resource depletion. Such degradation ranges from minimal to severe, but its actual extent and rate of spread is often not known because of the difficulty of monitoring the trends and changes over vast




Figure 1. Progress of publications in remote sensing in Western Australia

areas. Absence of accurate information results in the problems being poorly managed. Therefore the Government in Western Australia needs access to comprehensive information on trends in land, water, atmosphere and coastal conditions to fulfill its environmental responsibilities. On land there is evidence of increasing use being made of satellite remote sensing to provide this information. Over the vast expanse of ocean there is evidence of use by marine scientists of satellite remote sensing for bathymetry, marine habitat mapping, estuarine water quality, ocean circulation and thermal structure, as well as by the fishing industry in fisheries operations. To maintain the continued discovery of new world class ore deposits under WA's deeply weathered regolith, new airborne geophysical and satellite remote sensing exploration techniques continue to be developed.

Commonwealth and State Government initiatives to capture the benefits of satellite remote sensing in Western Australia

The first operational earth resources satellite Landsat-1 was launched in 1971 and CSIRO formed a remote sensing group in Western Australia in 1974. CSIRO's initial emphasis was on spectral radiometry measurements in the visible and near infrared wavebands, which helped provide the bio-physical basis of multi-spectral remote sensing. Recognising the importance of multi-spectral data for mapping land surface features not captured by use of air photography, the WA Department of Lands and Surveys appointed remote sensing officers in 1975, who in 1983 formed the Remote Sensing Applications Centre (RSAC) within the Department of Lands and Surveys (later named Department of Land Administration, DOLA). Formation of RSAC focused remote sensing skills thus providing a resource base for the widespread use of this technology by a large number of Government agencies.

In the mid 1980s the CSIRO remote sensing group expanded as more disciplines saw research opportunities. Statisticians developed statistical classification of multi-spectral satellite data for mapping different land cover types and conditions. Geologists developed new satellite based methods to assist in geological mapping. Physicists applied space borne techniques for measurement of sea surface temperature and land surface evaporation. Biologists used satellites to measure biophysical variables from space such as biomass, crop yields and algal blooms. In contrast to the State's focus of its remote sensing efforts within DOLA, CSIRO's multi-disciplinary group is distributed across several Divisions and Institutes.

Universities

By the mid 1970s the first tertiary courses in remote sensing were being taught at the Western Australian Institute of Technology (later Curtin University of Technology) in the Schools of Electrical Engineering, Applied Physics, and Surveying and Land Information with assistance from CSIRO. One of the outcomes of this interaction was the development of an L band receiving station for the NOAA satellite. The first images were received in 1981, using a World War 2 bofors gun mount and oscilloscope to guide the receiving dish. This system was upgraded in 1987 and operations taken over by the WA Satellite Technology and Applications Consortium (WASTAC) of the Bureau of Meteorology, DOLA, CSIRO and Curtin University of Technology. Teaching of tertiary courses in satellite remote sensing now occurs in all WA Universities and at the College of Technical and Further Education (TAFE).

The Leeuwin Centre for Earth Sensing Technologies

Successful application of satellite remote sensing requires a diversity of skills. With scientists and funds scarce, early development of remote sensing in WA was marked by close collaboration between the different remote sensing groups within CSIRO, Curtin University, DOLA, Bureau of Meteorology and the private sector. In 1993, the importance of this collaboration was officially recognised when the Leeuwin Centre for Earth Sensing Technologies was built for \$5 million by the State Government on the CSIRO Floreat campus. The building co-located CSIRO's Remote Sensing Group, DOLA's Remote Sensing Services, Curtin University's Department of Applied Physics Remote Sensing Group, TAFE and World Geoscience Corporation, the largest airborne geophysical exploration company in the world.

The bibliography of papers, reports, theses and conference presentations listed here reveals a steady development in the application of satellite remote sensing to exploration and the management of Western Australia's renewable resources. The Leeuwin Centre brings together for the first time in Australia the three technologies of airborne geophysics, satellite remote sensing and geographic information systems. Co-location offers the opportunities to expand greatly the applications of satellite remote sensing through the synergy of the participating groups. After 20 years of development, WA now has for the first time the capability to map and monitor major environmental changes occurring in salinity, water quality, land productivity and native vegetation and use this information to enrol community support to tackle these problems. The challenge for these remote sensing groups is to create the synergy which will realise the full potential of the Leeuwin Centre and capture the benefits from the next generation of satellite sensors and associated technologies.

Bibliography

Satellite remote sensing of land, sea and atmosphere in Western Australia

This bibliography covers all Western Australian satellite and airborne optical remote sensing work comprising published research, reports, theses and conference proceedings.

- Adams J 1994 Bushfire devastation on the Australian continent. *International Journal of Remote Sensing* 16:1573-1575.
- Adams J 1995 Wildfire monitoring in New South Wales, Australia. *International Journal of Remote Sensing* 15:3641-3642.
- Agar RA 1992 Geological applications and limitations of airborne multi-spectral scanners. Their availability, cost-effectiveness and future. Proceedings of 6th Australasian Remote Sensing Conference. The Conference Committee, Wellington, New Zealand.
- Albertz J, Li Z & Zhang W 1994 Rectification of airborne line-scanner imagery utilising flight parameters. Proceedings of First International Airborne Remote Sensing Conference, Strasbourg, France, 447-456.
- Baines PG 1981 Satellite observations of internal waves on the Australian North-West Shelf. *Australian Journal of Marine and Freshwater Research* 32:457-463.
- Barton IJ & Penrose JD 1988 Experimental investigations of bulk/skin temperature differences in the open ocean. Abstracts of the 2nd Conference on Air-Sea Interaction and its Consequences. The Conference, Merimbula, New South Wales.
- Behn GA 1996 An evaluation of the efficiency of remote sensing and geographical information system technologies for mapping and monitoring dieback. MSc Thesis. Curtin University, Perth.
- Behn GA & Campbell N 1992 Dieback assessment, using multi-spectral data, over the Stirling Range National Park, Western Australia. Proceedings of 6th Australasian Remote Sensing, 1:169-178. The Conference Committee, Wellington, New Zealand.
- Behn GA & Campbell N 1995 Dieback assessment from historical air photos. Proceedings of 9th Annual Symposium, 2:683-687. Vancouver, Canada.
- Behn GA, Wallace JF & Hick PT 1990 Airborne multispectral scanner data for mapping insect damage in jarrah forests of Western Australia. Proceedings of the 5th Australasian Remote Sensing Conference, 1032-1039. The Conference, Perth.
- Behn GA, Wallace JF & Hick PT 1990 Remote sensing of dieback on the south coast. CSIRO Division of Exploration Geoscience, Restricted Report. 10 pp. Conservation and Land Management, Land Information Branch, Perth.
- Bellairs SM, Hick PT, Harvey, E Turner NC, Belford RK & Smith RCG 1993 Measuring cereal crop biomass using field radiometry. Proceedings of the 10th Plant Breeding Conference, 107-108. Conference Organising Committee, Canberra.
- Bellairs SM, Turner NC, Hick PT & Smith RCG 1996 Plant and soil influences on estimating biomass of wheat in plant breeding plots using field spectral radiometers. *Australian Journal of Agricultural Research* 47:1017-1034
- Bierwirth PN, Lee T & Burne RV 1991 Unmixing of shallow sea-floor reflectance and water depth using multispectral imagery. Proceedings of the Conference on Remote Sensing and Geographical Information Systems for Coastal Catchment Management, 223-242. Conference Committee, Lismore, New South Wales.
- Bierwirth PN, Lee T & Burne RV 1992 Shallow water mapping via the separation of depth and substrate components from multispectral data: an example from Useless Inlet, Shark Bay, WA. Proceedings of the 6th Australasian Remote Sensing Conference, 1:99-109. The Conference Committee, Wellington, New Zealand.
- Bierwirth PN, Lee T & Burne RV 1993 Shallow sea-floor reflectance and water depth derived by unmixing multispectral imagery. *Photogrammetric Engineering & Remote Sensing* 59:331-338.
- Boniface P & Craig R 1986 Geometric correction of NOAA-AVHRR. Proceedings of the 1st Australian AVHRR Conference, 299-306. CSIRO Division of Groundwater Research, Perth.
- Buchanan A, Bevan A & Shaw R 1992 Australian impact structures - a photographic catalogue. Proceedings of 6th Australasian Remote Sensing Conference, 1:238-2482-6. The Conference Committee, Wellington, New Zealand.
- Caccetta PA, Campbell NA & West GA 1995 A massively parallel implementation of an image classifier. Proceedings of the 16th Asian Conference on Remote Sensing, 5-5-1 to 5-5-6. Organising Committee of World Technology, Thailand.
- Caccetta P, Campbell NA, West GA, Kiiveri HT & Gahegan M 1995 Aspects of reasoning with uncertainty in an agricultural GIS environment. *The New Review of Applied Expert Systems* 1:161-177.
- Caccetta PA, Kiiveri HT, Evans FH & Ferdowsian R 1995 A knowledge based approach to predicting salinity in the West Australian wheatbelt. Proceedings of the 16th Asian Conference on Remote Sensing, 13-3-1 to 13-3-6. Organising Committee of World Technology, Thailand.
- Campbell NA, DeBoer ES & Hick PT 1987 Some observations on crop profile modelling. *International Journal of Remote Sensing* 8:193-201.
- Campbell NA & Furby SL 1994 Variable selection along canonical vectors. *Australian Journal of Statistics* 36:177-183.
- Campbell NA, Furby SL & Fergusson B 1994 Calibrating images from different dates. Report. 16 pp. Land & Water Resources Research & Development Corporation, Perth.
- Campbell NA, Honey FR, Hick PT & Carlton MDW 1982 Evaluation and development of techniques for crop inventory in the wheatbelt of Western Australia using satellite data. Proceedings of the 16th International Symposium on Remote Sensing of Environment, 607-616. Environmental Research Institute of Michigan, Ann Arbor, Michigan.
- Campbell NA, Honey FR, Hick PT & Carlton MDW 1982 Evaluation of the application of Landsat data to crop discrimination in Western Australia. Proceedings of the International Symposium on Machine Processing of Remotely Sensed Data, 88-96. Purdue University Laboratory for Applications of Remote Sensing, West Lafayette, Indiana.
- Campbell NA & Wallace JF 1989 Statistical methods for cover class mapping using remotely sensed data. Proceedings of the International Geoscience and Remote Sensing Symposium, 493-496. IGARSS, Vancouver, Canada.
- Campbell NA & Wallace JF 1989 Cover class mapping in agricultural environments. Proceedings of the International Geoscience and Remote Sensing Symposium, 791-794. IGARSS, Vancouver, Canada.
- Carroll W 1982 The WAIT satellite receiving station. Conference on Applications of Environmental Satellites, 6 pp. CSIRO Division of Groundwater Research, Perth.
- Carroll W, Cargill RD & Honey FR 1981 A low cost NOAA/TIROS AVHRR receiving station. Proceedings of the 15th International Symposium on Remote Sensing of Environment, 1253-1264. Environmental Research Institute of Michigan, Ann Arbor.

- Carter DJ & Houghton HJ 1981 Remote sensing of wind erosion in croplands. Proceedings of Landsat - 81 Conference, 275-282. Organising Committee, Landsat 81, Canberra.
- Catalano P, Eliot I & Wyllie A 1992 Creation of a broad scale planning atlas from a Thematic Mapper base. Proceedings of 6th Australasian Remote Sensing Conference, 1:426-429. The Conference Committee, Wellington, New Zealand.
- Catalano P, Wyllie A & Eliot I 1991 Development of a coastal planning information system: Guilderton to Dongara, Western Australia. Proceedings of the Conference on Remote Sensing and Geographical Information Systems for Coastal Catchment Management, 205-222. The Organising Committee, Lismore, New South Wales.
- Corner RJ 1992 A potential method of soil spectral reflectance recovery for cropped agricultural areas. Proceedings of 6th Australasian Remote Sensing Conference, 3:80-89. The Conference Committee, Wellington, New Zealand.
- Corner RJ 1992 Passive spectral bathymetry using satellite remote sensing in Cockburn Sound, Western Australia. MSc Thesis. Curtin University of Technology, Perth.
- Craig RL, Evans FL, Smith RCG, Steber MT & Wyllie A 1995 The use of NOAA-AVHRR data for the detection of bushfires in Western Australia. Proceedings of the 2nd North Australian Remote Sensing and Geographic Information Systems Forum, 27-34. The Organising Committee, Darwin, NT.
- Cresswell GR & Peterson JL 1993 The Leeuwin Current south of Western Australia. Australian Journal of Marine and Freshwater Research 44:285-303.
- Cridland SW, Burnside DG & Smith RCG 1994 Use by managers in rangeland environments of near real-time satellite measurement of seasonal vegetation response. Proceedings of 7th Australasian Remote Sensing Conference, 2:1134-1141. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Cridland S, Smith RCG & Burnside D 1993 VEGETATION WATCH: Development for agriculture. Report. 16 pp. Western Australian Pastoral Board/Department of Land Administration, Remote Sensing Applications Centre, Perth.
- Currey DT, Wilson MA & O'Callaghan JF 1981 Mapping salinised land from Landsat. Proceedings of the 2nd Australasian Remote Sensing Conference, 8:1-4. Organising Committee Landsat 81, Canberra.
- Davies JE, Feams P, Lynch MJ & Pearce AF 1994 SeaWiFs product development and validation program: Status Report. PORSEC '94: Proceedings of the Second Pacific Ocean Remote Sensing Conference, 267-274. Bureau of Meteorology Research Centre, Melbourne.
- Davies JE & Lynch MJ 1993 Satellite remote sensing of ocean colour: Laying out the problem. Abstract. 4th Australian Institute of Physics, Jarrahdale.
- Davison PJN 1992 Synthetic-stereo satellite imagery. Proceedings of 6th Australasian Remote Sensing Conference, 1:430-433. The Conference Committee, Wellington, New Zealand.
- Domenikiotis C, Lodwick GD & Wright GL 1994 Reconstruction of a remotely sensed road network using an expert system approach. Proceedings of 7th Australasian Remote Sensing Conference, 1:448-455. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Easton A, Pearce AF & Buchan SJ 1992 Modelling the Kirki spill using OSSM. Proceedings of the Third National Scientific Support Coordinators Workshop, 93-96. Dept. Marine and Harbours, Perth.
- Evans FH, Caccetta PA, Ferdowsian R, Kiiveri HT & Campbell NA 1995 Predicting salinity in the upper Kent River Catchment. Report. 27pp. Land & Water Resources Research & Development Corporation, Perth.
- Evans FH, Ferdowsian R & Campbell NA 1996 Predicting salinity in the Wadjekanup and Byenup Hill Catchments. Report. 12pp. Land & Water Resources Research & Development Corporation, Perth.
- Evans F, Wyllie A & Kierath P 1994 Barrow Island engineering and rehabilitation assessment. Proceedings of 7th Australasian Remote Sensing Conference, 2:1054-1059. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Fletcher WJ & Tregonning RJ 1993 Distribution and timing of spawning by the Australian pilchard (*Sardinops sagax neopilchardus*) off Albany, Western Australia. Australian Journal of Marine and Freshwater Research 43:1437-1449.
- Fletcher WJ, Tregonning RJ & Sant GJ 1994 Interseasonal variation in the transport of pilchard eggs and larvae off southern Western Australia. Marine Ecology Progress Series 111:209-224.
- Fletcher WJ, Tregonning RJ, Sant GJ, Blight SJ & Rossbach MH 1992 Investigation of the abundance and distribution of pilchard eggs and larvae off southern Western Australia. Project 91/24 Report. 74pp. Fisheries Industry Research & Development Corporation, Perth.
- Furby SL 1995 Operational cross-calibration of AVHRR using robust regression procedures. Interim Report 1, Cross-Calibration of NOAA 14 to NOAA 11 a first attempt. Report. 21pp. Department of Land Administration, Perth.
- Furby SL, Kiveri H & Campbell NA 1990 The analysis of high dimensional spectral curves. Proceedings of the 5th Australasian Remote Sensing Conference, 175-184. The Conference, Perth.
- Furby SL & Palmer M 1993 Automatic control point selection for rewarping NOAA images: Investigation of a simple correlation algorithm. Report. 20pp. Department of Land Administration, Perth.
- Furby SL, Palmer MJ & Campbell NA 1996 Image calibration to like values. Proceedings of the 8th Australasian Remote Sensing Conference, 279-285. Remote Sensing and Photogrammetry Association of Australia, Canberra.
- Furby SL, Wallace JF, Caccetta PA & Wheaton GA 1995 Detecting and monitoring salt-affected land. Report. 71pp. Land and Water Resources Research and Development Corporation, Perth.
- Gardiner DB & Wright GL 1992 Land form mapping using remote sensing and GIS. Proceedings of 1st Australian Conference on Mapping and Charting, 103-112. The Conference, Adelaide.
- Gee L & Forster BC 1984 Landsat data as an aid to hydrographic and bathymetric mapping in shallow seas. Proceedings of the 3rd Australasian Remote Sensing Conference, 161-173. Organising Committee, Brisbane.
- Gozzard JR & Tapley, IJ 1992 Landform and regolith mapping in the Lawlers district. Report 2: Terrain classification mapping. CSIRO IMEC Division of Exploration Geoscience Report 240R.
- Gozzard JR, Tapley IJ, Grunsky EC & Furby SL 1992 Regolith-landform mapping in the Lawlers district, Report 3: Integration of digital elevation data and Landsat thematic mapper data for improved terrain classification. CSIRO IMEC Division of Exploration Geoscience Report 241R.
- Griffiths RW & Pearce AF 1985 Satellite images of an unstable warm eddy derived from the Leeuwin Current. Deep-Sea Research 32:1371-1380.
- Griffiths RW & Pearce AF 1985 Instability and eddy pairs on the Leeuwin Current south of Australia. Deep-Sea Research 32:1511-1534.
- Hardstaff S 1992 Mapping bushfires in the Kimberley Region using NOAA-AVHRR data, cartography. BSc Hons Thesis. Curtin University of Technology, Perth.
- Hearn CJ & Pearce AF 1985 NOAA satellite imagery and airborne remote sensing of a small-scale tidal jet. Australian Journal of Marine & Freshwater Research 36:643-653.
- Hick PT 1979 Remote sensing techniques applied to an estuarine environment problem in Western Australia. Australian Journal of Instrumentation and Control 40:4-6.

- Hick PT 1981 Window mount for aerial photography. CSIRO Industrial Research News 144: 4pp.
- Hick PT 1987 Remote sensing of agricultural salinity. MSc Thesis. Curtin University of Technology, Perth.
- Hick PT 1994 Relative specifications of the Daedalus 1268 airborne scanner and the SpecTerra Systems DMSV for ranger uranium. Position paper. 5 pp. CSIRO Minesite Rehabilitation Research Program. CSIRO Division of Water Research, Perth.
- Hick PT 1996 Spectral measurement of illumination sources at Thevenard Island:- a preliminary study of the probable effects of gas flares and oil production facility lights on Green turtles:- a subsequent revisit to measure a range of gas-flow rates. 18 pp. CSIRO Division of Soils, Perth.
- Hick PT 1996 High-resolution remote sensing for long-term monitoring of environmental effects of the operations of Robe River Iron Associates in the Pilbara, Western Australia. Report. 19 pp. CSIRO Minesite Rehabilitation Program, Perth.
- Hick PT 1996 Measuring the effects of the construction of Dampier Salt's bitterns channel on proximal mangroves using remotely-sensed data. Report. 22 pp. CSIRO Minesite Rehabilitation Program, Perth.
- Hick PT, Davies JE & Russell WGR 1987 A portable field spectroradiometer for studies of dryland salinity. Proceedings of the 4th Australasian Conference on Remote Sensing, 19 pp. Australian Remote Sensing Conference, Adelaide.
- Hick PT, Davies JR & Steckis RA 1984 Mapping dryland salinity in Western Australia using remotely sensed data. Proceedings of the 10th International Conference on Satellite Remote Sensing, 343-350. Remote Sensing Society, Reading, UK.
- Hick PT & Jernakoff P 1994 Algal bloom research using CASI data in Western Australia. Proceedings of the 7th Australasian Conference on Remote Sensing, 2:736-744. The Conference, Melbourne.
- Hick PT, Jernakoff P & Ong C 1996 Application of GIS and remote sensing for wetland management: Remote sensing of rivers and wetlands in Western Australia using airborne data. 10 pp. International Wetlands Symposium of INTECOL, Perth.
- Hick PT, Kay RJ & Houghton HJ 1990 Remote sensing of Kimberley rainforests. Proceedings of the 5th Australasian Remote Sensing Conference, 2:1129-1131. The Conference, Perth.
- Hick PT & Myers DG 1988 Some results of an application of AVHRR data to the Australian fisheries industry in near real-time and some operational objectives. Proceedings of International Symposium, Remote Sensing of Coastal Zone. 14 pp. The Committee, Brisbane.
- Hick PT & Ong C 1995 Evaluation of part of the 1995 DMSV dataset of the Andoom Minesite. Report. 16 pp. CSIRO Minesite Rehabilitation Program, Perth.
- Hick PT & Ong C 1995 Final report for the processing of DMSV data and production of vegetation maps of the Weipa and Andoom Minesites. Report. 21 pp. CSIRO Minesite Rehabilitation Program, Perth.
- Hick PT & Ong C 1996 Evaluation of remote spectral and geophysical sensing for quantitative environmental assessment of the Ranger Uranium Mine. Report. 3 pp. CSIRO Minesite Rehabilitation Program, Perth.
- Hick PT, Ong C & Smith RCG 1994 The use of digital multispectral video for vegetation mapping and monitoring on rehabilitated minesites at Weipa, Queensland. Report. 22 pp. CSIRO Minesite Rehabilitation Program, Perth.
- Hick PT, Ong C, Smith RCG & Honey FR 1994 Vegetation assessment and monitoring using Airborne Digital Multispectral Videography: Implications for geobotanical prospecting and quantitative pre- and post-mining measurement. Proceedings of the 19th Environmental Workshop, Australian Mining Industry Council, 1:178-195. Australian Mining Industry Council, ACT.
- Hick PT, Pattiaratchi CB & Wyllie A 1992 A comparison of two airborne multispectral scanners for determination of chlorophyll pigments in riverine, lacustrine and oceanic environments. Proceedings of the 6th Australasian Remote Sensing Conference, 215-225. The Conference Committee, Wellington, New Zealand.
- Hick PT, Prata AJ, Spencer G & Campbell NA 1987 NOAA-AVHRR satellite data evaluation for areal extent of bushfire damage in Western Australia. Proceedings of the 1st Australasian AVHRR Conference, 194-201. CSIRO Division of Groundwater Research, Perth.
- Hick PT, Rea WA, Russell WGR, Lendon C & Crown PH 1987 Spectral studies of dryland agriculture salinity in Western Australia. Proceedings of the 10th Canadian Symposium Remote Sensing, 2:1001-1007. Canadian Aeronautics and Space Institute, Edmonton, Canada.
- Hick PT & Russell WGR 1988 Remote sensing of agricultural salinity. Report. 170 pp. Department of Primary Industry, National Soil Conservation Program, Canberra.
- Hick PT & Russell WGR 1990 Some spectral considerations for remote sensing of soil salinity. Australian Journal of Soil Research 28:417-431.
- Hick PT, Russell WGR & Huntington JF 1988 Remote sensing of skeleton weed. Report. 20 pp. WA Agriculture Protection Board, Perth.
- Hick PT, Russell WGR, Strelein G & Behn G 1989 Remote sensing of insect damage in forests. Report 25R. 53pp. CSIRO Division of Exploration Geoscience, Perth.
- Hick PT & Scoones RJS 1988 Satellite data use for studies of benthic and bathymetric characteristics of sub-sea stratigraphy in the Eighty Mile Beach Region of Western Australia. Report EG5R. 16pp. CSIRO Division of Exploration Geoscience, Perth.
- Hick PT & Scoones RJS 1990 Satellite derived imagery for water penetration and its relevance to fisheries in the Kimberley Region of Western Australia. Report 122R. 29pp. CSIRO Division of Exploration Geoscience, Perth.
- Hick PT & Tapley IJ 1981 Window mount for acquisition of small format aerial photography from high wing aircraft. Aeronewsletter of the Royal Photographic Society of Great Britain 26 (April 1982):6-10.
- Hick PT, Tapley IJ, Bromilow T & Derriman L 1981 Airborne data collection and photographic hardware components in Land Resources Management for high flying hardware. Proceedings of the 2nd Australasian Remote Sensing Conference, 3.4.1. Organising Committee, Landsat 81, Canberra, ACT.
- Hick PT, Wyllie A & Kirkman H 1994 Marine substrate feature delineation from Thematic Mapper data: the Geographe Bay example. Proceedings of the 7th Australasian Conference on Remote Sensing, 2: 706-713. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Hille RJ, van Burgel JL, Lynch MJ & Prata AJ 1986 Application of NOAA satellite data to the study of tropical cyclones. Proceedings of the First Australian AVHRR Conference, 108-115. CSIRO Division of Groundwater Research, Perth.
- Hobbs RJ, Wallace JF & Campbell N 1989 Classification of vegetation in the Western Australian wheatbelt using Landsat MSS data. Vegetation 80:91-105.
- Hojsgaard S, Caccetta PA & Kiiveri H T 1997 Pixel allocation using remotely sensed data and ground data. International Journal of Remote Sensing. In press.
- Honey FR 1981 Application of NOAA-6 and TIROS-N AVHRR data to regional geologic mapping sea surface temperature and cloud temperature studies in Australia. Proceedings of the 2nd Australasian Remote Sensing Conference, 7.5.1. Organising Committee Landsat 81, Canberra .
- Honey FR 1982 Application of NOAA-AVHRR data to geological mapping. Proceedings of the International Symposium on Remote Sensing of Environment, Second Thematic Conference: Remote Sensing for Exploration, 2:519-525. Environmental Research Institute of Michigan, Ann Arbor.

- Honey FR & Hick PT 1976 Classification of the wetlands of the south-east corridor. Report. 20 pp. Wetlands Advisory Committee for the Environmental Protection Authority of WA, Perth.
- Honey FR & Hick PT 1981 Application of Landsat imagery to mangrove mapping in north-west Western Australia. Proceedings of the 2nd Australasian Remote Sensing Conference, 9.3.1. Organising Committee Landsat 81, Canberra.
- Honey FR, Hick PT & Blatchford DR 1978 Multilevel inventory and monitoring of wetlands on the Swan Coastal Plain, W.A. Proceedings of the 12th International Symposium on Remote Sensing of Environment, 3:2027-2044. The Committee, Ann Arbor, Michigan.
- Honey FR, Hick PT & Brown JM 1980 Multilevel inventory and monitoring of wetlands. Report. CSIRO Division of Land Resources Management, Perth.
- Honey FR, Hick PT, Brown JM & Blatchford DR 1981 Multilevel inventory and monitoring of wetlands. Proceedings of the 2nd Australasian Remote Sensing Conference, 1-5. Organising Committee Landsat 81, Canberra.
- Honey FR, Hick PT, Steckis RA & McCulloch LM 1984 Mapping dryland salinity using remotely sensed data. Proceedings of the 3rd Australasian Remote Sensing Conference, 44-47. Organising Committee Landsat 84, Brisbane.
- Honey FR, Hick PT Tapley IJ, Bettenay E & Carlton MWD 1984 NOAA-7 AVHRR images used to identify paleodrainage in the Great Sandy Desert, Western Australia. Proceedings of the 3rd Australasian Remote Sensing Conference, 389-395. Organising Committee Landsat 84, Brisbane.
- Honey FR & Tapley IJ 1984 Regional, structural and lithographic mapping using NOAA-AVHRR imagery. Proceedings of the 3rd Australasian Remote Sensing Conference, 369-409. Organising Committee Landsat 84, Brisbane.
- Honey FR, Tapley IJ & Holman W 1979 Soil erosion monitoring, Ashburton River district, Western Australia. Proceedings of the 1st Australasian Remote Sensing Conference. Organising Committee Landsat 79, Sydney.
- Houghton HJ 1979 Coordination of Landsat activities in Western Australia. Proceedings of the 1st Australasian Remote Sensing Conference, 454-464. Organising Committee Landsat 79, Sydney.
- Houghton HJ, Davison PJN & Wyllie A 1984 Applied remote sensing using geocoded Landsat data. Proceedings of the 3rd Australasian Remote Sensing Conference, 615-620. Organising Committee Landsat 84, Brisbane.
- Huang Xinmei, Lyons TJ & Smith RCG 1995 Meteorological impact of replacing native perennial vegetation with annual agricultural species. *Hydrological Process* 9:401-410.
- Huang Xinmei, Lyons TJ, Smith RCG & Hacker J M 1995 Estimation of land surface parameters using satellite data. *Hydrological Process* 9:387-389.
- Hutchins JB & Pearce AF 1994 Influence of the Leeuwin Current on recruitment of tropical reef fishes at Rottnest Island, Western Australia. *Bulletin of Marine Science* 54:245-255.
- Jernakoff P & Hick PT 1994 Spectral measurement of marine habitat: Simultaneous measurements and CASI data. Proceedings of the 7th Australasian Conference on Remote Sensing, 2:706-713. Remote Sensing and Photogrammetry Association of Australia, Perth.
- Jernakoff P, Hick PT, Ong C & Hosja W 1994 Remote sensing of algal blooms using multispectral video: the importance of space and time scales to ground truthing the interpretation of images. Proceedings of the ERIM Conference, 1-12. ERIM, Seattle.
- Jernakoff P, Hick PT, Ong C, Hosja V & Grigo S 1996 Remote sensing of algal blooms in the Swan: Report. CSIRO Division of Fisheries, Hobart.
- Kay RJ & Hick PT 1988 Rainforest identification in the Kimberley region of Western Australia using Landsat satellite data. Proceedings of the International Symposium on Remote Sensing of the Coastal Zone, VB 2.1, 1-16. The Committee, Brisbane.
- Kay RJ, Hick PT & Houghton HJ 1990 Mapping tropical rainforests using multi-scene and multi-temporal Landsat thematic mapper data. *Asian-Pacific Remote Sensing Journal* 3:23-33.
- Kay R, Hick PT & Houghton HJ 1991 Remote sensing of Kimberley rainforests. In: Kimberley Rainforest (eds NL McKenzie, RB Johnston & PG Kendrick), 41-51. Surrey Beatty & Sons, Chipping Norton, New South Wales.
- Kay RJ, Hick PT & Houghton HJ 1992 Broadscale mapping of tropical rainforests in Western Australia using Landsat Thematic Mapper data. Proceedings of the 5th Australian Soil Conservation Conference 10:58-62. Department of Agriculture, Perth.
- Kiiveri HT & Caccetta PA 1997 Some statistical models for remotely sensed data. Proceedings of the SICS 1996 Interface Conference on Imaging, in press.
- Lambeck RJ & Wallace JF 1993 Assessment of the conservation value of remnant native vegetation in the central wheatbelt of Western Australia using Landsat TM imagery. Report. 31 pp. Australian National Parks and Wildlife Service, Canberra.
- Lavery PS 1990 Remote sensing of macrophytes and phytoplankton in a eutrophic estuary. Proceedings of the 5th Australasian Remote Sensing Conference, 2:785-788. The Conference, Perth.
- Lavery PS & Pattiaratchi CB 1990 Multi-date algorithms for estimating water quality in estuaries from Thematic Mapper. Proceedings of the 5th Australasian Remote Sensing Conference, 2:789-792. The Conference, Perth.
- Lavery PS, Pattiaratchi CB, Wyllie A & Hick PT 1990 Remote sensing in the Peel Harvey estuarine system: development of multi-temporal algorithms and applicability to monitoring programmes. Report WP454PL. 38 pp. University of Western Australia, Centre for Water Research, Perth.
- Lavery PS, Pattiaratchi CB, Wyllie A & Hick PT 1993 Water quality monitoring in estuarine waters using the Landsat Thematic Mapper. *Remote Sensing of Environment* 46:268-280.
- Legeckis R & Cresswell GR 1981 Satellite observations of sea-surface temperature fronts off the coast of western and southern Australia. *Deep-Sea Research* 28:297-306.
- Lodwick GD 1993 Remote sensing education and training. School of Surveying and Land Information, Curtin University of Technology, Perth.
- Longman MJ 1984 Location of mineral deposits by digital lineament analysis. Proceedings of the 3rd Australasian Remote Sensing Conference, 423-432. Organising Committee Landsat 84, Brisbane.
- Longman MJ & Giles TW 1981 Application of Landsat interpretation techniques to exploration. Proceedings of the 2nd Australasian Remote Sensing Conference, 1-5. Organising Committee Landsat 81, Canberra.
- Lynch MJ, Gumley L, Foster D & Lynch HJ 1991 Progress report 3: Retrieval of aerosol optical depths from NOAA AVHRR satellite data. Report SPS 5564/1991/AP 8. 12 pp. Surveillance Research Laboratory, Optoelectronics Division, DSTO, Salisbury.
- Lynch MJ & Marsden AJ 1992 Mt Pinatubo impact on aerosol optical depths in southern latitudes. Proceedings of 6th Australasian Remote Sensing Conference 3:213-216. The Conference Committee, Wellington, New Zealand.
- Lynch MJ, Prata AJ & Hunter JR 1986 Sea surface temperature anomalies off the north west shelf of Western Australia. Proceedings of the 1st Australian AVHRR Conference, 259-268. CSIRO Division of Groundwater Research, Perth.
- Lynch MJ, Prata AJ & Penrose JD 1985 Status of surface temperature measurement and its impact upon atmospheric sounding. Second International TOVS Conference, 18-22. The Committee, Austria.

- Lynch MJ, White BA, Zadnik MG, Foster D & Koch R 1992 Faint object detection using digital image processing. *Australian Journal of Astronomy* 4:198-208.
- Lyon RJP, Honey FR & Hlick PT 1994 Second generation airborne digital multispectral video: Evaluation of a DMSV for environmental and vegetation assessment. Proceedings of 1st International Airborne Remote Sensing Conference, 12 pp. The Committee, Strasbourg, France.
- Lyons TJ, Schwerdtfeger P, Hacker JM, Foster IJ, Smith RCG & Huang Xinmei 1993 Land-atmosphere interaction in a semi-arid region: The bunny fence experiment. *Bulletin of the American Meteorological Society* 74:1327-1334.
- Lyons TJ, Smith RCG & Huang Xinmei 1996 The impact of clearing for agriculture on the surface energy budget. *International Journal of Climatology* 16:551-558.
- Madan S, Honey FR & Tapley IJ 1981 The use of Landsat MSS data in the exploration for pisolitic iron ore. Proceedings of the 2nd Australasian Remote Sensing Conference, 5.8.1. Organising Committee Landsat 81, Canberra 1981.
- Marsden AJ & Lynch MJ 1992 Maritime aerosol optical depth and atmospheric visibility from NOAA/AVHRR. Proceedings of the 6th Australasian Remote Sensing Conference, Wellington, 3:382-388. The Conference Committee, Wellington, New Zealand.
- Marsden AJ, Lynch MJ, Forgan B & Mitchell R 1994 The estimation and validation of aerosol optical depths from NOAA/AVHRR. Proceedings of the 2nd Pacific Ocean Remote Sensing Conference, 119-126. Bureau of Meteorology Research Centre, Melbourne.
- McArthur WM, Churchward HM & Hlick PT 1977 Landforms and soils of the Murray River catchment area of Western Australia. CSIRO Division of Land Resources Management Series 3. 23 pp. CSIRO Division of Land Resources Management, Melbourne.
- McAtee B 1992 Ocean current estimation using remote sensing. BSc Hons Thesis. Curtin University of Technology, Perth.
- McFarlane DJ, Wheaton GA, Negus TR & Wallace JF 1992 Effects of waterlogging on crop and pasture production in the Upper Great Southern, Western Australia. *Technical Bulletin* 86. 45 pp. WA Department of Agriculture, Perth.
- Mills DA, D'Adamo N, Pearce AF & Wyllie A 1996 The response of stratified shelf waters to the Leeuwin Current and wind forcing: winter observations off Perth, Western Australia. In: 'Mixing in Estuaries and Coastal Seas'. American Geophysical Union Coastal and Estuarine Studies 50:5-28.
- Mills DA, D'Adamo N, Wyllie A & Pearce AF 1994 Long-shelf and cross-shelf processes off Perth, Western Australia: the influence of wind, differential cooling and the Leeuwin Current. *Technical Series* 58. 19 pp. Department of Environmental Protection, Perth.
- Myers DG 1984 Satellites and fish-finding in Western Australia and beyond. *Australian Fisheries* 43:2-4.
- Myers DG 1984 Experience with assisting the Western Australian fishing industry via satellite-derived sea surface temperature measurements. Proceedings of the 2nd International Conference on Indian Ocean Studies. Indian Ocean Research Centre, Perth.
- Myers DG 1986 Some considerations in the design of image processing systems for remote sensing. Proceedings of the 1st Australian AVHRR Conference, 1:49-58. CSIRO Division of Ground Water Research, Perth.
- Myers DG & Hlick PT 1985 Application of satellite real-time sea surface temperature data to the tuna, salmon and pilchards fisheries. Report. FIRTA Project 81/56: 68 pp. Fishing Industry Research Trust Account, Perth.
- Myers GD & Hlick PT 1990 An application of satellite-derived sea surface temperature data to the Australian fishing industry in near real-time. *International Journal of Remote Sensing* 11:2103-2112.
- Myers DG & Podmore LW 1983 Applications of NOAA imagery in the Australian fishing industry. Abstract. ANZAAS, Perth.
- Myers DG, Podmore LW, Honey FR & Hick PT 1983 Application of satellite derived sea surface temperature measurements to the Southern Bluefin Tuna Industry. 25th Western Fisheries Conference, 386-388. WA Fisheries Department, Perth.
- Ong C & Hlick PT 1994 How to get the best from airborne video data. *Remote Sensing and Photogrammetric Association Australasia Newsletter* 3(4):2-3.
- Ong C, Hlick PT, Craig M, Warren P & Newman C 1995 A correlative technique for correction of shading effects in digital multispectral video imagery. Proceedings of the International Symposium on Spectral Sensing Research, 1-7. The Committee, Melbourne.
- Ong C, Soole P, Hlick PT, Craig M, Warren P & Newman C 1996 A correlative technique for correction of shading effects in digital multispectral video imagery. Proceedings of the XVIII Congress International Society of Photogrammetry and Remote Sensing. The Committee, Vienna, Austria.
- Ong C, Wyllie A, D'Adamo N & Mills DA 1995 Intensive oceanographic surveys: ground-truthing of sea-surface temperature satellite imagery for Perth's coastal zone acquired during August 1991 and March 1992. Report SMCWS HYDRO-2.9. 2 pp. Department of Environmental Protection, Perth.
- Ong C, Wyllie A & Hlick PT 1994 Mapping marine habitats using Geoscan Mk2 Airborne Multispectral Scanner Data. Proceedings of 7th Australasian Remote Sensing Conference, 2: 706-173. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Palmer M, Furby SL & Wallace JF 1994 Mapping wind erosion in the south Stirlings. Report. 21 pp. Land & Water Resources Research & Development Corporation, Perth.
- Pattiaratchi CB 1992 Coastal environmental mapping using Landsat data. Proceedings of the Central Symposium of the International Space Year Conference, 739-743. The Committee, Munich, Germany.
- Pattiaratchi CB 1994 Physical oceanographic aspects of the dispersal of coral spawn slicks: a review. In: The bio-physics of marine larval dispersal (eds PW Sammarco & ML Heron). American Geophysical Union Coastal and Estuarine Studies 45, 89-105.
- Pattiaratchi CB, Lavery PS, Wyllie A & Hlick PT 1991 Remote sensing of water quality in Cockburn Sound: development of multi-temporal algorithms. Report WP607CP. 48 pp. University of Western Australia, Centre for Water Research, Perth.
- Pattiaratchi CB, Lavery P, Wyllie A & Hlick PT 1992 Multi-date algorithms for predicting surface water quality parameters in estuarine and coastal waters using Landsat TM data. In: Remote Sensing for Environmental Monitoring and Resource Management: European 'Journal Space Year' Conference 1992 (ed TD Guyenne), 2:709-713. JJ Hunt, Paris.
- Pattiaratchi CB, Lavery PS, Wyllie A & Hlick PT 1994 Estimates of water quality in coastal waters using multi-date Landsat Thematic Mapper Data. *International Journal of Remote Sensing* 15:1571-1584.
- Pattiaratchi CB, Parslow J, Pearce AF & Hlick PT 1990 Application of coastal zone colour scanner (CZCS) imagery for productivity and circulation studies of the Leeuwin Current, Western Australia. Proceedings of the 5th Australasian Remote Sensing Conference, 252-256. The Conference, Perth.
- Pearce AF 1982 The application of NOAA/AVHRR imagery to oceanic circulation off Western Australia. Conference on Applications of Environmental Satellites. 5 pp. CSIRO Division of Groundwater Research, Perth.
- Pearce AF 1983 Circulation features off Western Australia from NOAA-7 satellite imagery. Abstract. Australian Physical Oceanography Conference. Flinders University, Adelaide.
- Pearce AF 1983 Shelf circulation processes off Western Australia derived from satellite imagery. Abstract. CSIRO Coastal Ecology Workshop. CSIRO Division of Fisheries, Perth.
- Pearce AF 1983 A review of satellite oceanography off Western Australia. Abstract. Australian Marine Sciences Association Conference. Australian Marine Sciences Association, Perth.

- Pearce AF 1984 Sea-surface temperatures off Western Australia derived from NOAA satellites. Abstract. Australian Marine Sciences Association Conference. Australian Marine Sciences Association, Geelong.
- Pearce AF 1985 The Leeuwin Current, as viewed from space. *FINS* 18:3-5.
- Pearce AF 1987 The Leeuwin Current and Rottnest Island. Pamphlet. Rottnest Island Environmental Education Centre, Perth.
- Pearce AF 1988 New developments in satellite technology should help studies of the Leeuwin Current. *FINS* 21:15-19.
- Pearce AF 1989 A catalogue of NOAA-AVHRR satellite imagery received in Perth, Western Australia, 1981-1987. Report 203. 36 pp. CSIRO Marine Laboratories, Hobart.
- Pearce AF 1993 Review of oceanographic processes off the south western coast of Western Australia. Report. National Pulp Mills Research Program. 48 pp. CSIRO Division of Oceanography, Hobart.
- Pearce A F 1997 The Leeuwin Current and the Houtman Abrolhos Islands. In: *The Marine Flora and Fauna of the Houtman Abrolhos Islands, Western Australia* (ed FE Wells). Proceedings of the 7th International Marine Biology Workshop. Western Australian Museum, Perth, 11-46.
- Pearce AF & Cresswell GR 1985 Ocean circulation off Western Australia and the Leeuwin Current. Information Sheet 16-3. 4 pp. CSIRO, Division of Oceanography, Hobart.
- Pearce AF & Griffiths RW 1991 The mesoscale structure of the Leeuwin Current: a comparison of laboratory models and satellite imagery. *Journal of Geophysical Research* 96:16739-16757.
- Pearce AF & Pattiaratchi CB 1997 Applications of satellite remote sensing to the marine environment in Western Australia. *Journal of the Royal Society of Western Australia* 80:1-14.
- Pearce AF & Phillips BF 1988 ENSO events, the Leeuwin Current and larval recruitment of the western rock lobster. *Journal du Conseil* 45:13-21.
- Pearce AF, Phillips BF & Crossland CJ 1992 Larval distributions across the Leeuwin Current: report on Franklin cruise FR 8/87, August/September 1987 Report 217. 13 pp. CSIRO Marine Laboratories, Perth.
- Pearce AF & Prata AJ 1989 Mysteries of the Leeuwin Current. *Western Angler* 5:35-36.
- Pearce AF & Prata AJ 1990 Sea-surface temperature transects across the Leeuwin Current. Proceedings of the 5th Australasian Remote Sensing Conference, 242-251. The Conference, Perth.
- Pearce AF, Prata AJ & Manning CR 1989 Comparison of NOAA-AVHRR-2 sea surface temperatures with surface measurements in coastal waters. *International Journal of Remote Sensing* 10:37-52.
- Pellegrini JJ & Penrose JD 1986 Comparison of ship-based and satellite AVHRR estimates of sea-surface temperature. Proceedings of the 1st Australian AVHRR Conference, 269-279. CSIRO Division of Groundwater Research, Perth.
- Petrusevics P, Tapley JJ & Bathols J 1985 Satellite observations of sea-surface temperature variation in Gulf St.Vincent. Abstract. Australian Marine Science Association Conference. Australian Marine Sciences Association, Geelong.
- Phillips BF, Pearce AF & Litchfield R 1991 The Leeuwin Current and larval recruitment to the rock (spiny) lobster fishery off Western Australia. *Journal of the Royal Society of Western Australia* 74:93-100.
- Podmore L, Honey FR, Hick PT & Myers DG 1984 An evaluation of the potential of NOAA-AVHRR data within the tuna industry on the south coast of Western Australia. Proceedings of the 3rd Australasian Remote Sensing Conference, 735-739. Organising Committee Landsat 84, Brisbane.
- Prata AJ 1985 Procedures for estimating sea surface temperatures from AVHRR radiances. Report SPG 389/1985/AP102. 46 pp. School of Physics and Geosciences, Western Australian Institute of Technology, Perth.
- Prata AJ 1985 Processing TIROS operational vertical sounder data: theory and practice. Report SPG 386/1985/AP99. School of Physics and Geosciences, Western Australian Institute of Technology, Perth.
- Prata AJ & Lynch MJ 1985 Satellite radiance measurements of tropical cyclones. Abstract. Second Australian Conference on Tropical Meteorology, 43-45. The Committee, Perth.
- Prata AJ & Lynch MJ 1985 Monitoring tropical sea-surface temperature structure from NOAA-AVHRR measurements. Proceedings of the 2nd Australian Conference on Tropical Meteorology, 70-72. The Committee, Perth.
- Prata AJ, Lynch M, Hille, RJ & van Burgel JL 1986 Observations of tropical cyclones in Western Australia using combined TOVS and AVHRR radiances. Proceedings of the 3rd International TOVS Study Conference. The Committee, Madison, Wisconsin.
- Prata AJ, Pearce AF, Wells JB & Carrier J 1986 Satellite sea-surface temperature measurements of the Leeuwin Current. Proceedings of the 1st Australian AVHRR Conference, 237-247. CSIRO Division of Groundwater Research, Perth.
- Prata AJ, Pearce AF, Wells JB, Hick PT, Carrier JC & Cechet RP 1989 A satellite sea surface temperature climatology of the Leeuwin Current, Western Australia. Report. 65 pp. Marine Science and Technology Council, CSIRO Division of Atmospheric Research, Melbourne.
- Prata AJ & Wells JB 1990 A satellite sensor image of the Leeuwin Current, Western Australia. *International Journal of Remote Sensing* 11:173-180.
- Reader M, Stovold R, Steber M & Christie R 1994 The remote sensing of interacting morning glories in northern Australia with NOAA-AVHRR data. Proceedings of 7th Australasian Remote Sensing Conference, 115-120. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Robertson PK 1986 The effective display of image data. Proceedings of the 1st Australian AVHRR Conference, 1:64-72. CSIRO Division of Groundwater Research, Perth.
- Roderick ML 1994 Satellite derived vegetation indices for monitoring seasonal vegetation conditions in Western Australia. PhD Thesis. Curtin University of Technology, Perth.
- Roderick M L & Smith RCG 1992 Use of NOAA derived seasonal vegetation data within a GIS for broad scale vegetation management in Western Australia. Proceedings of the 6th Australasian Remote Sensing Conference, 3:194-198. The Conference Committee, Wellington, New Zealand.
- Roderick ML, Smith RCG & Cridland S 1996 The precision of the NDVI derived from AVHRR observations. *Remote Sensing of Environment* 56:67-75.
- Roderick ML, Smith RCG & Lodwick GD 1996 Calibrating long term AVHRR derived NDVI imagery. *Remote Sensing of Environment* 58:1-12.
- Rustana CE, Lynch MJ, Foster I & Prata AJ 1994 The performance of satellite estimates of land surface temperature in the Western Australian agricultural region. Proceedings of the Pacific Ocean Remote Sensing Conference, 153-160. The Committee, Melbourne.
- Rustana CE, Lynch MJ & Prata AJ 1992 Atmospheric effects and algorithm evaluation for the determination of land surface temperature from NOAA AVHRR. Proceedings of the 6th Australasian Remote Sensing Conference, 3:231-240. The Conference Committee, Wellington, New Zealand.
- Rustana C E, Lynch M J & Prata A J 1994 Development and validation of algorithms for land surface temperature measurement from NOAA-11/AVHRR satellite data. Proceedings of the Pacific Ocean Remote Sensing Conference, 161-168. The Committee, Melbourne.
- Rustana CE, Lynch MJ, Prata AJ & Campbell NA 1991 Study of land surface temperature in Jarrahdale, Western Australia. Abstract. Australian Institute of Physics, Perth.

- Scoones R & Hick PT 1990 Satellite imagery and its relevance to fisheries in the tropical regions of Western Australia. Proceedings of the 5th Australasian Remote Sensing Conference, 2:811-814. The Conference, Perth.
- Silberstein RP, Wyllie A, Sivapalan M & Smith RCG 1994 Application of remote sensing to modelling terrestrial water and energy balances. Proceedings of the 7th Australasian Remote Sensing Conference, 2:753-760. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Smith MO, Adams JB & Gillespie, AR 1990 Reference end members for spectral mixture analysis. Proceedings of the 5th Australasian Remote Sensing Conference, 1:331-340. The Conference, Perth.
- Smith RCG 1993 Continental scale measurement of vegetation. In: Problems and possibilities. application of satellite measures of vegetation in arid lands (ed P Hick). 60 pp. Leeuwin Centre for Earth Sensing Technologies, Perth
- Smith RCG 1994 Australian Vegetation Watch. Report. 111 pp. CSIRO Division of Exploration and Mining, Perth.
- Smith RCG 1995 Managing climate variability from satellite measures of vegetation growth of droughts and flooding rains. Occasional paper CV03/95. Managing with Climate Variability Conference, 48-51. The Committee, Canberra.
- Smith RCG 1997 Applications of satellite remote sensing in Western Australia for mapping and monitoring land surface processes. Journal of the Royal Society of Western Australia 80:15-28.
- Smith RCG, Adams J & Hick PT 1994 Forecasting wheat yields from satellite observations. Proceedings of 7th Australasian Remote Sensing Conference, 2:641-650. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Smith RCG, Adams J, Stephens DJ & Hick PT 1995 Forecasting wheat yield in a Mediterranean-type environment from the NOAA satellite. Australian Journal of Agricultural Research 46:113-125.
- Smith RCG, Browne CE, Craig RL, Adams J & Steber M 1996 Satellite monitoring of bush fires in north Western Australia. Proceedings of the 8th Australasian Remote Sensing Conference, CD-ROM Records 9036-9058. Remote Sensing and Photogrammetry Association of Australia, Canberra.
- Smith RCG, Hick PT, Adams J, Shaw R & Cridland S 1993 VEG-ETATION WATCH. Annual report 1992/93 to the Rural Industries Research and Development Corporation. 14 pp. Department of Land Administration, Perth.
- Smith RCG, Hick PT, Gilmour R, Regan KL, Elliott GA, Portmann P & Turner N C 1992 Use of field spectroscopy to rank cereal plots according to biomass. Proceedings of the 6th Australasian Remote Sensing Conference, 3:90-98. The Conference Committee, Wellington, New Zealand.
- Smith RCG, Wallace JF, Hick PT, Gilmour RF, Belford RK, Portmann PA, Regan KL & Turner NC 1993 Potential of using field spectroscopy during early growth for ranking biomass in cereal breeding trials. Australian Journal of Agricultural Research 44:1713-1730.
- Smith RCG, Xinmei Huang, Lyons TJ, Hacker JM & Hick PT 1992 Change in land surface albedo and temperature in south western Australia following the replacement of native perennial vegetation by agriculture: satellite observations. Paper IAF-92-0117. Proceedings of the 43rd Congress of the International Astronomical Federation. 10 pp. International Astronomical Federation, Washington, DC.
- Smith RCG, Browne CE, Craig RL, Adams J & Steber M 1996 Satellite Monitoring of Bush Fires in north Western Australia. Proceedings of the 8th Australasian Remote Sensing Conference, CD ROM Records 9036-9058. Remote Sensing and Photogrammetry Association of Australia, Canberra ACT.
- Smith RE & Green AA 1979 Application of Landsat to the interpretation of volcanic relations and metasomatic alteration, Maddina Volcanics, Western Australia. Proceedings of the 1st Australasian Remote Sensing Conference, 277-294. Organising Committee Landsat 79, Sydney.
- Spencer GF, Blatchford D & Houghton HJ 1988 Application of TM data to land use management in Rayong province - Thailand. Proceedings of the 9th Asian Conference on Remote Sensing, G-4-1 to G-4-8. The Committee, Bangkok, Thailand.
- Spencer GF, Holman WF & Houghton HJ 1987 Digital analysis and computer-aided mapping techniques as applied to pastoral lease restructuring in the West Kimberley Regional of Western Australia. Proceedings of the 4th Australasian Remote Sensing Conference, 1:266-277. The Committee, Adelaide.
- Stovold RGH & Chapman F 1992 Map standardisation of geocoded Thematic Mapper data for natural resource management. Proceedings of the 6th Australasian Remote Sensing Conference, 1:434-438. The Conference Committee, Wellington, New Zealand.
- Stovold RGH, Smith RCG, Allen A & Evans F 1996 A high resolution satellite information product for farm and catchment management in Western Australia. Proceedings of the 8th Australasian Remote Sensing Conference, CD-ROM Records 4423-4478. Remote Sensing and Photogrammetry Association of Australia, Canberra.
- Stovold RGH, Steber M & Smyth P 1994 Evaluation of low-cost digital spatially corrected multi-spectral video system for operational use in Western Australia. Proceedings of the 7th Australasian Remote Sensing Conference, 1:119-127. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Szekielda KH & Mitchell WF 1972 Oceanographic applications of colour-enhanced satellite images. Remote Sensing of Environment 2:71-76.
- Szorenyi JA 1979 Point identification problems using Landsat images. Proceedings of the 1st Australasian Remote Sensing Conference, 418-445. Organising Committee Landsat 79, Sydney.
- Tapley IJ 1986 NOAA-AVHRR imagery for palaeogeomorphic and structural mapping: an evaluation of the multi-approach in Australia and Africa. Proceedings of the 20th International Symposium on Remote Sensing of Environment, 74-75. Environmental Research Institute of Michigan, Ann Arbor.
- Tapley IJ 1988 The reconstruction of palaeodrainage and regional geological structures in Australia's Canning and Officer basins using NOAA-AVHRR satellite imagery. Earth-Science Reviews 25:409-425.
- Tapley IJ 1990 The perception of submerged strandlines on night-thermal NOAA-AVHRR satellite imagery. Proceedings of the 5th Australasian Remote Sensing Conference, 2:815-821. The Conference, Perth.
- Tapley IJ & Gozzard JR 1992 Regolith-landform mapping in the Lawlers District. Report 1: Aerial photographic interpretation and Landsat Thematic Mapper processing for mapping regolith-landforms. Report 239R. CSIRO IMEC Division of Exploration Geoscience, Perth.
- Tapley IJ & Gozzard JR 1992 Regolith-landform mapping in the Lawlers District. Report 4: A site dossier of field data and spectral reflectance measurements of surface regolith materials. Report 242R. CSIRO IMEC Division of Exploration Geoscience, Perth.
- Tapley IJ & Honey FR 1987 An evaluation of shuttle imaging radar for mapping geologic and geomorphic units in the north western and central Regions of Western Australia. Proceedings of the 3rd Australasian Remote Sensing Conference, 450-465. Organising Committee Landsat 84, Brisbane.
- Tapley IJ & Horwitz RC 1981 Interference folding in the Hamersley Basin of Western Australia. Proceedings of the 2nd Australasian Remote Sensing Conference, 5.11.1. Organising Committee Landsat 81, Canberra.
- Tapley IJ & Wilson P 1985 The discrimination of potentially economic palaeodrainage systems in the sedimentary basins of central and western Australia using NOAA-AVHRR imagery. Proceedings of the International Symposium on Remote Sensing of Environment, Fourth Thematic Conference:

- Remote Sensing for Exploration Geology, 585-600. Environmental Research Institute of Michigan, Ann Arbor.
- Tapley IJ & Wilson P 1986 NOAA-AVHRR imagery for palaeodrainage and lineament mapping in South Australia's north-west Geological Provinces. Proceedings of the 1st Australian AVHRR Conference, 222-236. CSIRO Division of Groundwater Research, Perth.
- van Burgel JL, Le Marshall J & Lynch MJ 1994 Determination of upper level warm temperature anomalies in Australian region tropical cyclones using retrieved temperatures from the microwave sounding unit. The Technical Proceedings of the 2nd Pacific Ocean Remote Sensing Conference, 291-225. Bureau of Meteorology Research Centre, Melbourne.
- van Delst PWF, Lynch MJ, White BA, Revercombe H, Knuteson RO & Smith WL 1994 The retrieval of atmospheric ozone concentration profiles from high spectral resolution infrared radiances. The Technical Proceedings of the 2nd Pacific Ocean Remote Sensing Conference, Melbourne, 423-433. Bureau of Meteorology Research Centre, Melbourne.
- Wallace JF, Campbell NA, Wheaton GA & McFarlane DJ 1993 Spectral discrimination and mapping of waterlogged cereal crops in Western Australia. International Journal of Remote Sensing 14:2731-2743.
- Wallace JF & Furby SL 1994 Assessment of change in remnant vegetation area and condition. Report. 27 pp. Land and Water Resources Research and Development Corporation, Perth.
- Wallace JF, Palmer MJ & Furby SL 1991 Vegetation mapping and dieback hazard assessment in the northern jarrah forest using remotely sensed image data. Report. 40 pp. CSIRO Division of Mathematics and Statistics, Perth.
- Wallace JF & Wheaton GA 1990 The extent and cost of waterlogging. Western Australian Journal of Agriculture 2:44-47.
- Wallace JF & Wheaton GA 1990 Mapping the extent of waterlogged crops using satellite imagery. WA Journal of Agriculture 31:48-50.
- Wallace JF & Wheaton GA 1990 Spectral discrimination and mapping of land degradation in Western Australia's agricultural regions. Proceedings of the 5th Australasian Remote Sensing Conference, 1066-1073. The Conference, Perth.
- Myers DG 1987 Satellite Sensing Australia. Western Australian Satellite Technology and Applications Consortium Booklet, Curtin University, Perth.
- Weerasekera TSB, Lynch MJ & Smith RCG 1992 Atmospheric effects on the normalised difference vegetation index. 6th Australasian Remote Sensing Conference, 3:110-114. The Conference Committee, Wellington, New Zealand.
- Weerasekera TSB, Lynch MJ & Smith RCG 1994 Approaches to achieve consistency in satellite measurements of Normalised Difference Vegetation Index (NDVI). The Technical Proceedings of the 2nd Pacific Ocean Remote Sensing Conference, 127-133. Bureau of Meteorology Research Centre, Melbourne.
- Wells JB & Prata AJ 1986 Processing NOAA data on microcomputers. Proceedings of the 1st Australian AVHRR Conference, 79-85. CSIRO Division of Groundwater Research, Perth.
- Wheaton GA & Wallace JF 1990 Mapping dryland salinity, interim report to the National Soil Conservation Programme. Project number 7405. Mapping Land Degradation Using Remote Sensing. CSIRO Division of Mathematics and Statistics, Perth.
- Wheaton GA, Wallace JF, McFarlane DJ & Campbell NA 1992 Mapping salt-affected land in Western Australia. Proceedings of 6th Australasian Remote Sensing Conference, 2:369-377. The Conference Committee, Wellington, New Zealand.
- Wheaton GA, Wallace JF, McFarlane DJ, Furby SL, Campbell NA & Caccetta P 1994 Mapping and monitoring salt-affected land in Western Australia. Proceedings of Resource Technology 1994 Conference, 531-543. The Committee, Melbourne.
- Wilson P 1981 Landsat study in Archaean Terrain, Northeast Yilgarn Block, Western Australia. Proceedings of the 2nd Australasian Remote Sensing Conference, 5.13: 1-3, The Committee, Canberra.
- Wilson P 1983 A structural interpretation of the Eastern Goldfields, Western Australia, from NOAA-AVHRR imagery. "Recent Research on Gold" Report FP 29. CSIRO, Perth.
- Wilson P 1986 Potentially economic palaeodrainage systems of Central and Western Australia using NOAA-AVHRR imagery. Proceedings of the 8th Australian Geological Convention "Earth Resources in Time and Space". The Committee, Adelaide.
- Wilson P 1986 Satellite thermal and airborne magnetic lineaments: some economic implications for gold mineralisation in the Yilgarn Block, Western Australia. Abstract. Proceedings of the 1st Australian AVHRR Conference. CSIRO Division of Groundwater Research, Perth.
- Wilson P & Tapley IJ 1987 The delineation of mineralised archaean terrain using merged Landsat MSS and RBV data. Proceedings of the 3rd Australasian Remote Sensing Conference, 478-485. Organising Committee Landsat 87, Brisbane.
- Wilson P, Tapley IJ & Honey FR 1984 Structural observation of the Canning Basin by NOAA-AVHRR satellite imagery. Proceedings of the Geological Society of Australia Canning Basin Symposium, 535-544. The Committee, Perth.
- Wilson P, Tapley IJ & Honey FR 1984 The golden handprint: a structural interpretation of the eastern Goldfields, Western Australia, from NOAA-AVHRR imagery. 7th Australasian Geological Convention. The Committee, Sydney.
- Wright GL & Chafer M 1994 An analysis of land capability assessment using remotely sensed data. Proceedings of 7th Australasian Remote Sensing Conference, 2:601-608. Remote Sensing and Photogrammetry Association of Australia, Melbourne.
- Wright GL & Lodwick GD 1992 Monitoring irrigation practices on the Swan Coastal Plain using remote sensing data. Proceedings of Conference on Remote Sensing and Space. The Committee, Hat Yai, Thailand.
- Wright, GL & Lodwick GD 1992 Land use assessment using integrated remote sensing and cadastral data. Proceedings of 6th Australasian Remote Sensing Conference, 2:120-128. The Conference Committee, Wellington, New Zealand.
- Wyllie A & Adams J 1992 Using NOAA AVHRR imagery as a near-real-time navigation tool for an oceanographic sampling program. Proceedings of 6th Australasian Remote Sensing Conference, 3:209-212. The Conference Committee, Wellington, New Zealand.
- Wyllie A, Adams J, Buchanan A, Chapman F, Craig R, Davison P, Dawbin KW, Houghton H J, Pearson D, Sanders P, Shaw R, Smith RCG & Stovold R 1993 Operationalization of remote sensing within Western Australia. Proceedings of the International Symposium on Operationalization of Remote Sensing, 1:88-89. The Committee, Enschede, Netherlands.
- Wyllie A, Allen A & Steber M 1996 Detecting change in marine habitats. Proceedings of the 8th Australasian Remote Sensing Conference, CD ROM. Remote Sensing and Photogrammetry Association of Australia, Canberra.
- Wyllie A & Barile P 1990 Rapid clearing assessment using multi-spectral scanner data. Proceedings of the 5th Australasian Remote Sensing Conference, 1074-1082. The Conference, Perth.
- Wyllie A, Buchanan A, D'Adamo N, Mills D & Pearce A 1992 The use of Landsat Thematic Mapper and NOAA-AVHRR for environmental investigations of the Perth metropolitan coastal waters. Proceedings of the 6th Australasian Remote Sensing Conference, 3:203-208. The Conference Committee, Wellington, New Zealand.
- Wyllie A, Buchanan AB, Hick PT & Butkas F 1992 The use of Thematic Mapper to detect road building materials. Proceedings of the 6th Australasian Remote Sensing Conference, 2:348-354. The Conference Committee, Wellington, New Zealand.
- Wyllie A & Craig RL 1987 Digital data presentation. Proceedings of the 4th Australasian Remote Sensing Conference

- 1:604-610. Remote Sensing and Photogrammetry Association of Australia, Adelaide.
- Wyllie A, D'Adamo N & Mills D 1992 The use of thematic mapper band 6 as an indicator of estuarine hydrodynamics. Proceedings of the 6th Australasian Remote Sensing Conference, 1: 86-98. The Conference Committee, Wellington, New Zealand.
- Wyllie A & Evans F 1994 Marine habitat mapping using Landsat Thematic Mapper and SPOT panchromatic data. Proceedings of the 7th Australasian Remote Sensing Conference, 2:693-689. Remote Sensing and Photogrammetric Association of Australia, Perth.
- Wyllie A, Hick PT, Duncan A, Evans F, Jernakoff P, Kirkman H & Ong C 1994 A review of remote sensing for marine applications in Western Australia. Proceedings of the Second Thematic Conference on Remote Sensing for Marine and Coastal Environments, 1:687-698. Environmental Research Institute of Michigan, Ann Arbor.
- Wyllie A, Kierath P, Adams J, Craig R & Steber M 1996 Remote sensing of cyclonic after effects. Proceedings of the 8th Australasian Remote Sensing Conference, CD ROM. Remote Sensing and Photogrammetry Association of Australia, Canberra.
- Wyllie A & Spencer P 1986 Drought detection and vegetation stress monitoring using NOAA-AVHRR satellite data in Western Australia. Proceedings of the 1st Australian AVHRR Conference, 150-160. CSIRO Division of Groundwater Research, Perth.
- Wyrwoll KH, McKenzie NL, Pederson BJ & Tapley IJ 1986 The Great Sandy Desert of north western Australia: the last 7000 years. *Search* 17:208-211.
- Xinmei H, Lyons T J, Smith RCG, Hacker JM & Schwerdtfeger P 1993 Estimation of surface energy balance from radiant surface temperature and NOAA-AVHRR sensor reflectances over agricultural and native vegetation. *Journal of Applied Meteorology* 32:1441-1449.
- Young SA, Cutten DR, Lynch MJ & Davies JE 1993 Lidar-derived variations in the backscatter-to-extinction ratio in southern hemisphere coastal maritime aerosols. *Atmospheric Environment* 24:1541-1551.